## ADVERTISEMENT FOR ENGINEERING AND RELATED SERVICES April 27, 2023

CONTRACT NO. 4400027010 STATE PROJECT NO. H.015018.5 FEDERAL AID PROJECT NO. H015018 ENTITY CONTRACT FOR LAFAYETTE PARISH NON-STATE PVMT MARKINGS LAFAYETTE PARISH

#### NO DBE GOAL

Under the authority granted by Title 48 of Louisiana Revised Statutes, the Louisiana Department of Transportation and Development (DOTD) hereby issues this advertisement for consulting firms to provide engineering and related services. Consultants who are a Louisiana or foreign LLC or corporation should be appropriately registered with the Louisiana Secretary of State, as contemplated by Title 12 of the Louisiana Revised Statutes, and with the Louisiana Professional Engineering and Land Surveying (LAPELS) Board under its rules for firms. If a consultant is not in good standing in accordance with those provisions, it may be subject to consequences contemplated in Title 12 and/or the LAPELS rules. All requirements of LAPELS must be met at the time the proposal is submitted. Prime consultants must be registered with the Louisiana Secretary of State and the Federal Government, using SAM.gov, prior to contract execution.

One (1) proposal will be selected for the contract solicited per this advertisement. Only one (1) DOTD Form 24-102 proposal is required for this advertisement, and it represents the prime consultant's qualifications and those of any and all sub-consultants proposed to be used for the referenced contract(s). All identifying contract number(s) should be listed in Section 2 of the DOTD Form 24-102. USE THE DOTD FORM 24-102, DATED JANUARY 1, 2023, PROVIDED WITH THE ADVERTISEMENT.

The contract will be between the selected consultant and **Lafayette Consolidated Government**, referred to as the "**Entity**".

Any questions concerning this advertisement must be sent in writing to <a href="mailto:DOTDConsultantAds80@la.gov">DOTDConsultantAds80@la.gov</a> no less than 48 hours (excluding weekends and holidays) prior to the proposal deadline.

#### **SCOPE OF SERVICES**

The general tasks to be performed by the consultant for this contract are described more specifically in Attachment A, which is incorporated herein by reference.

The consultant shall perform the work in accordance with the requirements of this advertisement and the resulting contract. Deliverables shall be in such format as required in Attachment A. The work performed by the consultant shall be performed in a manner consistent with that degree of

care and skill ordinarily exercised by members of the same profession currently practicing under similar circumstances.

### MINIMUM PERSONNEL REQUIREMENTS (MPRs)

The requirements set forth in Attachment B must be met at the time the proposal is submitted.

#### **EVALUATION CRITERIA**

The criteria to be used by DOTD in evaluating responses for the selection of a consultant to perform these services are listed below:

- 1. firm experience on similar projects, weighting factor of three (3);
- 2. staff experience on similar projects, weighting factor of four (4);
- 3. firm size as related to the project magnitude, weighting factor of three (3);
- 4. past performance on similar DOTD projects, weighting factor of six (6)\*;
- 5. current work load with DOTD, weighting factor of five (5);
- 6. approach and methodology, weighting factor of nine (9).

## THE FOLLOWING TABLE MUST BE COMPLETED AND INCLUDED IN SECTION 12 OF THE DOTD FORM 24-102 PROPOSAL.

Sub-consultants are allowed to be used for this proposal. Fill in the table by identifying only those evaluation disciplines consistent with the approach and methodology proposed in Section 18 of the DOTD Form 24-102\*, the name of each firm that is part of the proposal, and the percentage of work in each past performance evaluation discipline to be performed by that firm. The percentage estimated for each evaluation discipline is for evaluation purposes only and will not control the actual performance or payment of the work. The percentages for the prime and sub-consultants must total 100% for each past performance evaluation discipline, as well as the overall total percent of the contract.

(Add rows and columns as needed)

overall total percent of the contract.			(Add rows and columns as needed)				
Past Performance	% of	Prime	Firm B	Firm C	Firm D	Firm E	Each
Evaluation	Overall						Discipline
Discipline(s)	Contract						must total
r							to 100%
							100%
							100%
							100%
Identify the percentage of work for the <b>overall contract</b> to be performed by the prime							
consultant and each sub-consultant.							
Percent of Contract	100%						

<sup>\*</sup>The past performance evaluation disciplines are: Road, Bridge, Traffic, CE&I/OV, Geotech, Survey, Environmental, Data Collection, Planning, Right-of-Way, CPM, ITS, Appraiser and/or Other (please specify).

<sup>\*</sup>The consultant is to identify in the table below those evaluation disciplines consistent with the approach and methodology proposed in Section 18 of the DOTD Form 24-102.

If sub-consultants are used, the prime consultant must perform greater than 50% of the work for the overall contract.

Proposals will be evaluated as set forth in the "Evaluation Criteria" section of this advertisement. The evaluation will be by means of a point-based rating system. Each of the above criteria will receive a rating on a scale of one (1) through five (5). The rating will then be multiplied by the corresponding weighting factor. The rating in each category will then be added to arrive at the proposal's final rating.

DOTD's Project Evaluation Team (PET) will be responsible for performing the above described evaluation, and will present a shortlist of the three (3) (if three are qualified), highest rated consultants to the Secretary of DOTD. The Secretary will make the final selection.

## COMPLIANCE WITH SUPPLEMENTAL ETHICS REQUIREMENTS

DOTD has established supplemental ethics requirements applicable to consultants and PET members. These requirements are found in the "Supplemental Ethics Requirements" article of the sample contract linked to this advertisement, which are incorporated herein by reference. Any firm that is found to have violated these requirements may not be considered for this selection.

By submission of a proposal to perform services pursuant to this advertisement, the consultant agrees to comply with DOTD's Supplemental Ethics Requirements.

#### RULES OF CONTACT UPON ADVERTISEMENT

DOTD is the single source of information regarding the contract selection. Any official correspondence will be in writing, and any official information regarding the contract will be disseminated by DOTD's designated representative via the DOTD website. The following rules of contact will apply during the contract selection process, commencing on the advertisement posting date and ceasing at the time of final contract selection. Contact includes face-to-face communication, the use of a telephone, facsimile, electronic mail (email), or formal or informal written communications with DOTD. Any contact determined to be improper, at the sole discretion of DOTD, may result in the rejection of the proposal (i.e., DOTD Form 24-102).

Consultants and consultant organizations shall correspond with DOTD regarding this advertisement only through the email address designated herein; <a href="mailto:DOTDConsultantAds80@la.gov">DOTDConsultantAds80@la.gov</a> and during DOTD sponsored one-on-one meetings.

No consultant, or any other party on behalf of a consultant, shall contact any DOTD employee, other than as specified herein. This prohibition includes, but is not limited to, the contacting of: department, office, or section heads, project managers, members of the evaluation teams, and any official who may participate in the decision to award the contract resulting from this advertisement.

DOTD will not be responsible for any information or exchange that occurs outside the official process specified above.

By submission of a proposal to perform services pursuant to this advertisement, the consultant agrees to the communication protocol herein.

#### **PROJECT TIME**

The overall time for the completion of the scope of services is estimated to be **100 days**.

#### **COMPENSATION**

The compensation type for this contract is non-negotiated specific rates of compensation.

Compensation to the consultant for the services set forth herein shall be based on actual work hours and established specific rates of compensation for the work performed and the direct expenses incurred by the consultant, with a maximum limitation of \$127,195.

#### **DIRECT EXPENSES**

To the extent that the consultant is allowed to claim reimbursement for direct expenses, all direct expense items that are not paid for in the firm's indirect cost rate, and are, needed and will be consumed during the life of the contract must be identified by the consultant during contract development. The acquisition or rental of standard equipment or resources to be used in the provision of services rendered for this contract will not be considered for payment under direct expenses (e.g., vehicles for construction engineering and inspection (CE&I) inspectors).

The consultant should own most of the equipment required to provide the work and services. The cost of this equipment should be included in the consultant's indirect cost rate. Equipment may be considered "specialized" if it cannot be considered standard equipment for that particular consultant's normal operating business needs. If a consultant believes special equipment is needed for the contract, the consultant must inquire through the Question and Answer process, as provided herein, whether the identified item will be considered specialized equipment for the individual contract.

All travel related expenses will be compensated under direct expenses, and will be in accordance with the most current Louisiana Office of State Travel regulations as promulgated in the Louisiana Administrative Code under the caption "PPM No. 49", with the exception that compensation for vehicle usage will be based on actual miles traveled directly and exclusively related to project needs. Vehicle rental rates will require prior approval from the PM.

#### CYBERSECURITY TRAINING

In accordance with La. R.S. 42:1267(B)(3) and the State of Louisiana's Information Security Policy, if the Consultant, any of its employees, agents, or sub-consultants will have access to State government information technology assets, the Consultant's employees, agents, or sub-consultants with such access must complete cybersecurity training annually, and the Consultant must present evidence of such compliance annually and upon request. The Consultant may use the cybersecurity

training course offered by the Louisiana Department of State Civil Service without additional cost or may use any alternate course approved in writing by the Office of Technology Services.

For purposes of this Section, "access to State government information technology assets," means the possession of credentials, equipment, or authorization to access the internal workings of State information technology systems or networks. Examples would include but not be limited to State-issued laptops, VPN credentials to credentials to access the State network, badging to access the State's telecommunications closets or systems, or permissions to maintain or modify IT systems used by the State. Final determination of scope inclusions or exclusions relative to access to State government information technology assets will be made by the Office of Technology Services.

## QUALITY ASSURANCE/QUALITY CONTROL

DOTD requires the selected consultant and all sub-consultants to develop a Quality Assurance/Quality Control (QA/QC) program in order to provide a mechanism by which all deliverables will be subject to a systematic and consistent review. The selected consultant shall address in its plan the review of all sub-consultant work and deliverables. Only the selected consultant must submit their QA/QC plan to the DOTD PM within 10 business days of the award notification to the consultant (do not include QA/QC plan in the DOTD Form 24-102). Consultants must ensure quality and adhere to established DOTD policies, procedures, standards and guidelines in the preparation and review of all deliverables. DOTD may provide limited input and technical assistance to the consultant. Any deliverables to be transmitted by the consultant shall be transmitted with a DOTD Quality Assurance/Quality Control Checklist, and a certification that the deliverables meet DOTD's quality standards.

If Attachment A includes specific QA/QC requirements that contradict those set forth above, the requirements in Attachment A control.

## TRAFFIC ENGINEERING PROCESS AND REPORT TRAINING REQUIREMENTS

As part of DOTD's on-going commitment to high quality traffic engineering reports, a traffic engineering training course must be taken by traffic engineering PEs and EIs in order to be eligible to work on DOTD projects. When traffic is included as a discipline on which past performance is evaluated, for consultants performing traffic engineering services (i.e., traffic analysis throughout all DOTD project stages and/or QC of traffic analysis), appropriate personnel must successfully complete the three (3) modules of the Traffic Engineering Process and Report Course offered by Louisiana Transportation Research Center (LTRC). This Course must be completed no later than the time the proposal is submitted or show proof of registration for the Course from the LTRC's Registration site. Copies of training certificates or proof of registration are to be included in Section 20 of the proposal." It will be the prime consultant's responsibility to ensure their staff and sub-consultants complete the training. Copies of training records may be obtained from the LTRC website https://registration.ltrc.lsu.edu/login.

### WORK ZONE TRAINING REQUIREMENTS

As part of DOTD's on-going commitment to work zone safety, required work zone training courses must now be taken every four (4) years in order for personnel to remain eligible to work on DOTD projects. For consultants performing preconstruction services (*e.g.*, design, survey, subsurface utility, geotechnical, traffic, bridge inspection, environmental services), appropriate personnel must successfully complete these courses. In general, the person in responsible charge of traffic control plans shall be required to have Traffic Control Supervisor training. For preconstruction field services performed within the clear zone, at least one (1) member of the field crew shall have Traffic Control Supervisor or Traffic Control Technician training. The consultant should identify all personnel listed in the staffing plan (Section 14) for the contract who have completed the appropriate work zone training courses. All preconstruction work zone training requirements shall be met **prior to contract execution**. It will be the prime consultant's responsibility to ensure their staff and sub-consultants have the appropriate work zone training.

In addition to the above requirements, if the Scope of Services set forth in Attachment A includes Construction Engineering and Inspection (CE&I), the following training requirements shall be met at the time the proposal is submitted:

Field Engineers: Traffic Control Technician

Traffic Control Supervisor

Flagger

Field Engineer Interns: Traffic Control Technician

Traffic Control Supervisor

Flagger

Field Senior Technicians, Survey Party Chiefs, and

SUE Worksite Traffic Supervisors\*: Traffic Control Technician

Traffic Control Supervisor

Flagger

Other Field Personnel\*: Traffic Control Technician

Flagger

Approved courses are offered by ATSSA and AGC. Substitutes for these courses must be approved by the DOTD Work Zone Task Force. For more information, please contact DOTD HQ Construction at 225-379-1584. Specific training course requirements are:

Flagger: Successful completion every four (4) years of a work

zone flagger course approved by the Department. The "DOTD Maintenance Basic Flagging Procedures Workshop" is not an acceptable substitute for the

ATSSA and AGC flagging courses.

Traffic Control Technician (TCT): Successful completion every four (4) years of a work

zone traffic control technician course approved by the

<sup>\*</sup> excluding Asphalt Plant Inspector, Paint Managers, and Paint Inspectors

Department. After initial successful completion, it is not necessary to retake this course every four (4) years if Traffic Control Supervisor training is completed every four (4) years.

Traffic Control Supervisor (TCS): Successful completion of a work zone traffic control supervisor course approved by the Department. Following an initial completion, traffic control supervisors must either complete a one (1)-day TCS refresher course or retake the original two (2)-day TCS course every four (4) years.

ATSSA contact information: (877) 642-4637

#### \*\*\*ALL WORK ZONE TRAINING CERTIFICATIONS MUST BE ACTIVE\*\*\*

#### REFERENCES

All services and documents will meet the standard requirements as to format and content of DOTD and will be prepared in accordance with the latest applicable editions, supplements, and revisions of the following:

- AASHTO Standards The American Association of State Highway Transportation Officials <a href="https://www.transportation.org/">https://www.transportation.org/</a>
- 2. AASHTO A Policy on Geometric Design of Highways and Streets <a href="https://bookstore.transportation.org/collection\_detail.aspx?ID=110">https://bookstore.transportation.org/collection\_detail.aspx?ID=110</a>
- 3. ASTM Standards <a href="https://www.astm.org/BOOKSTORE/BOS/index.html">https://www.astm.org/BOOKSTORE/BOS/index.html</a>
- 4. CyberSecurity Training https://forms.gle/deZGAo5hUMWeSG4P6
- 5. DOTD Bridge Design and Evaluation Manual (BDEM) <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Bridge\_Design/Pages/BDEM.aspx">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Bridge\_Design/Pages/BDEM.aspx</a>
- 6. DOTD Complete Streets <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Multimodal/Highway\_Safety/Complete\_Streets/Pages/default.aspx">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Multimodal/Highway\_Safety/Complete\_Streets/Pages/default.aspx</a>
- 7. DOTD Construction Contract Administration Manual <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Pages/Engineering\_Docs.aspx">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Pages/Engineering\_Docs.aspx</a>
- 8. DOTD Consultant Contract Services Manual <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/CCS/Manuals/CCS%20M">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/CCS/Manuals/CCS%20M</a> <a href="mailto:anual%20rev%20Dec%202020.pdf">anual%20rev%20Dec%202020.pdf</a>
- 9. DOTD Hydraulics Manual <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Public\_Works/Hydraulics/Documents/Hydraulics%20Manual.pdf">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Public\_Works/Hydraulics/Documents/Hydraulics%20Manual.pdf</a>

- 10. DOTD Location and Survey Manual <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/LocationSurvey/Manuals/20and%20Forms/Location and Survey Manual.pdf">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/LocationSurvey/Manuals/20and%20Forms/Location and Survey Manual.pdf</a>
- 11. DOTD Addendum "A" to the Location & Survey Manual <a href="http://www.sp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/LocationSurvey/Manuals">http://www.sp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/LocationSurvey/Manuals</a> %20and%20Forms/Location%20and%20Survey%20Manual%20-%20Addendum%20A.pdf
- 12. DOTD Louisiana Standard Specifications for Roads and Bridges <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Standard\_Specifications/Pages/Standard%20Specifications.aspx">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Standard\_Specifications/Pages/Standard%20Specifications.aspx</a>
- 13. DOTD Materials Sampling Manual <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menu\_MSM.aspx">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menu\_MSM.aspx</a>
- 14. DOTD Minimum Design Guidelines <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Road\_Design/Memoranda/Minimum%20Design%20Guidelines.pdf">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Road\_Design/Memoranda/Minimum%20Design%20Guidelines.pdf</a>
- 15. DOTD Off-System Highway Bridge Program Guidelines <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Bridge\_Design/Manuals/Other%20Manuals%20-%20Guidelines/2019%20Federal%20Aid%20Off-System%20Highway%20Bridge%20Program%20Guidelines.pdf">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Bridge\_Design/Manuals/Other%20Manuals%20-%20Guidelines/2019%20Federal%20Aid%20Off-System%20Highway%20Bridge%20Program%20Guidelines.pdf</a>
- 16. DOTD Roadway Design Procedures and Details Manual <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Road\_Design/Pages/Road">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Road\_Design/Pages/Road</a> -Design-Manual.aspx
- 17. DOTD Stage 1 Planning/Environmental Manual of Standard Practice <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Environmental/Pages/Stage\_1.aspx">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Environmental/Pages/Stage\_1.aspx</a>
- 18. DOTD Testing Procedures Manual –

  <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menuthmentoldering-number-12">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menuthmentoldering-number-12">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menuthmentoldering-number-12">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menuthmentoldering-number-12">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Materials\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_Lab/Pages/Menuthmentoldering-number-12">http://www.sp.dotd.la.gov/Inside\_Lab/Pag
- 19. DOTD Traffic Engineering Manual <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Traffic\_Engineering/Misc\_%20Documents/Traffic%20Engineering%20Manual.pdf">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Traffic\_Engineering/Misc\_%20Documents/Traffic%20Engineering%20Manual.pdf</a>
- 20. DOTD Traffic Engineering Process and Report <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Traffic\_Engineering/ManualsPublications/Pages/TEPR.aspx">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Traffic\_Engineering/ManualsPublications/Pages/TEPR.aspx</a>
- 21. DOTD Traffic Signal Manual <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Traffic\_Engineering/Trafficic%20Control/Traffic%20Signal%20Manual%20V3%20-%207.1.20.pdf">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/Traffic\_Engineering/Trafficic%20Control/Traffic%20Signal%20Manual%20V3%20-%207.1.20.pdf</a>
- 22. e-CFR Electronic Code of Federal Regulations (all applicable) <a href="https://ecfr.io/">https://ecfr.io/</a>

- 23. FHWA Bridge Inspector's Reference Manual (BIRM)
  - website: https://www.fhwa.dot.gov/bridge/nbis.cfm
  - manual: https://www.fhwa.dot.gov/bridge/nbis/pubs/nhi12049.pdf
- 24. FHWA Manual on Uniform Traffic Control Devices for Streets and Highways (MUTCD) http://mutcd.fhwa.dot.gov/
- 25. National Electrical Safety Code (NESC) <a href="https://standards.ieee.org/products-services/nesc/index.html">https://standards.ieee.org/products-services/nesc/index.html</a>
- 26. NFPA 70 National Electrical Code (NEC) <a href="https://www.nfpa.org/codes-and-standards/all-codes-and-standards/list-of-codes-and-standards/detail?code=70">https://www.nfpa.org/codes-and-standards/all-codes-and-standards/list-of-codes-and-standards/detail?code=70</a>
- 27. NEPA National Environmental Policy Act https://www.epa.gov/nepa

## CONTRACT EXECUTION REQUIREMENTS

The selected consultant will be required to execute the contract within ten (10) days after receipt of the contract.

A sample of the contract provisions can be found at the following link: <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/CCS/Pages/Advertisements.aspx">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/CCS/Pages/Advertisements.aspx</a>.

#### REVISIONS TO THE ADVERTISEMENT

DOTD reserves the right to revise any part of the advertisement by issuing addenda to the advertisement at any time. Issuance of this advertisement in no way constitutes a commitment by DOTD to award a contract. DOTD reserves the right to accept or reject, in whole or part, all DOTD Form 24-102s submitted, and/or cancel this consultant services procurement if it is determined to be in DOTD's best interest. All materials submitted in response to this advertisement become the property of DOTD, and selection or rejection of a proposal does not affect this right. DOTD also reserves the right, at its sole discretion, to waive administrative informalities contained in the advertisement.

#### **CLARIFICATIONS**

DOTD reserves the right to request clarification of ambiguities or apparent inconsistencies found within any proposal, if it is determined to be in DOTD's best interest.

#### PROPOSAL REQUIREMENTS

The consultant's proposal for this advertisement must be submitted by email to <a href="mailto:DOTDConsultantAds80@la.gov">DOTDConsultantAds80@la.gov</a>. USE THE DOTD FORM 24-102, DATED JANUARY 1, 2023, PROVIDED WITH THE ADVERTISEMENT. Hard copies of the consultant's proposal are not required. All proposals must be in accordance with the requirements of this advertisement, and the Consultant Contract Services Manual. Unless otherwise stated in this advertisement, copies of licenses and certificates are not required to be submitted with the proposal.

If more than one (1) contract is to be selected based on this advertisement, no prime consultant is allowed to be a sub-consultant on any other consultant's 24-102. If a prime consultant is submitted as a sub-consultant on another consultant's 24-102, its proposal as a prime consultant may be deemed non-responsive.

ANY CONSULTANT FAILING TO SUBMIT ANY OF THE INFORMATION REQUIRED ON THE DOTD FORM 24-102, OR PROVIDING INACCURATE INFORMATION ON THE DOTD FORM 24-102, MAY BE CONSIDERED NON-RESPONSIVE.

DOTD employees may not submit a proposal, nor be included as part of a consultant's proposal.

Contract and/or part-time employees are allowed. Such employees should be shown in Section 14 of the DOTD Form 24-102 with an asterisk denoting their employment status.

The DOTD Form 24-102 PDF file shall be labeled "Contract No. 4400027010, Consultant's name", and must be received no later than 3:00 p.m. Central Time by DOTDConsultantAds80@la.gov via email on Thursday, May 18, 2023. The PDF file must be attached in the email or as a hyperlink in the email or as an email through third-party file transfer websites such as Dropbox or WeTransfer.

Please note that delivery failure may occur on email files exceeding 30MB uncompressed. In addition, all emails are scanned for cybersecurity threats prior to delivery to <a href="https://docs.py.note.org/doi.org/10.20">DOTDConsultantAds80@la.gov</a>; therefore, allow sufficient time for this process to take place when submitting your proposal.

#### ATTACHMENT A – SCOPE OF SERVICES

The project time is typical.

The field office indirect cost rate shall be applicable to all services except as otherwise designated hereafter. The home office indirect cost rate shall be applicable to the closeout process and all clerical work.

The purpose of this project is to restripe Cajundome Blvd., E. Pinhook Rd./Teurilngs Ave., Kaliste Saloom Rd., Mudd Ave., and Gendarme Rd., in Lafayette Parish.

#### **STAGE 5: CONSTRUCTION**

#### **Construction Engineering and Inspection (CE&I)**

Consultant will be required to provide construction contract administration and construction engineering inspection services typically performed by the DOTD Project Engineer and his/her staff, including but not limited to, milling, patching and overlaying. These services will be performed in accordance with DOTD's Standards and Procedures (see References). Copies of these documents will be made available through DOTD upon request. DOTD will assign a project engineer from its District 03 Office to serve as a construction coordinator for DOTD during project construction. The following services to be performed will be under the direct supervision of the **Entity**:

- 1. Coordinate with the **Entity** and DOTD District personnel to schedule and attend the pre-construction meeting. Consultant will be required to conduct the meeting.
- 2. Maintain all construction field records; make daily entries in the project diary (DWR) to indicate Consultant's personnel present on the job site, Contractor's personnel and equipment being utilized on the project, the work being accepted, the acceptability of traffic control, and the charging of contract time.
- 3. Coordinate with the Entity's Engineer/Representative for all relocations/adjustments of utility facilities for the construction of work site.
- 4. Provide all necessary personnel and equipment to perform the required field-testing for quality assurance in accordance with the latest DOTD Sampling and Testing Manual and pertinent Quality Assurance Manual.
- 5. Submit all sampled materials to be tested by the DOTD District 03 Testing Laboratory or qualified independent testing laboratory, in accordance with the stipulated Sampling Manual and pertinent Quality Assurance Manual.
- 6. Inspect Contractor's construction operations (daily) to ensure that all work is performed in accordance with the specified plans and specifications.
- 7. Keep clear and concise records of the contractual operations, prepare monthly pay estimates, and make monthly progress reports in conformance with DOTD requirements. Inspection of construction will not include shop and mill inspections and their approval.
- 8. Prepare final estimate packages, including Form 2059 "Summary of Test Results" in conformance with DOTD Construction Contract Administration Manual.

- 9. Consultant will be responsible for submittal approvals required of the project engineer as stated in the Standard Specifications including form drawings.
- 10. All construction activities shall be coordinated between Consultant, the Entity, the FHWA and an assigned representative of DOTD. All work standards, methods of reporting, and documentation of pay quantities will be in accordance with the policies and procedures of DOTD Construction Contract Administration Manual. All partial and final construction estimates, and other information must be submitted on forms approved by DOTD.
- 11. Consultant will perform all documentation, as prescribed by the Department, on the Department's construction software, HeadLight/SiteManager. Consultant will provide hardware, i.e., computers, printers, internet connections, etc. deemed necessary to efficiently conduct the inspection services.
- 12. Consultant may be required to conduct <u>non-reimbursable</u> training sessions for his personnel to receive instructions into the use of HeadLight/SiteManager (approximately four hours). DOTD will provide a qualified instructor for this training.
- 13. Consultant will be available for conferences, visits to jobsites, and/or inspections by DOTD authorized representatives.
- 14. Consultant will be required to submit "As-Built" plans with the final estimate. "As-Built" plans are to reflect all changes made from the original plans. All changes to the plans are to be made using a 746-1/2 Tuscan red pencil.
- 15. When it is stipulated by the Project Specifications, that approval by DOTD is required for material, equipment, and/or construction procedures, DOTD policies for obtaining such approval will be followed.
- 16. All construction inspection personnel utilized by Consultant must meet and retain the same qualification and certification requirements as required of DOTD construction personnel.
- 17. Any proposed changes in plans or in the nature of the work will be pre-approved in writing by DOTD, prior to the performance of stipulated work.
- 18. Change orders throughout the life of the project will also have to be written by Consultant and approved through the Department's process in accordance with the DOTD Construction Contract Administration Manual.
- 19. Consultant will monitor and document all construction claims, and provide recommendations on disposition of claims.
- 20. Consultant will manage the RFI (Request for Information) process as defined on the DOTD internet site, <a href="http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/RFI/Forms/AllItems.aspx">http://wwwsp.dotd.la.gov/Inside\_LaDOTD/Divisions/Engineering/RFI/Forms/AllItems.aspx</a>.
- 21. Consultant will coordinate and/or perform the inspection of pre-cast materials with DOTD and the Entity. Section 40 Fabrication Engineer's staff oversees fabrication of pre-cast materials. The only inspection Project Engineer's staff is responsible for is inspecting the materials for any damage during transportation.
- 22. Consultant's inspector shall be responsible for performing and documenting inspections of erosion control devices, and reporting deficiencies to Contractor for correction on the Department's construction software, HeadLight/SiteManager.

23. Meet with the DOTD Statewide Sign Inspector to review the construction signing for compliance with the MUTCD and Traffic Control Standards. Documentation of corrections made by Contractor will be input into HeadLight/SiteManager by Consultant's Project Engineer.

#### SERVICES TO BE PERFORMED / ITEMS TO BE PROVIDED BY DOTD

DOTD will furnish, without charge, the following services and data:

- Laboratory testing of materials. DOTD District 03 Testing Laboratory, if available, will perform laboratory tests in conjunction with specialty testing performed at the DOTD Central Laboratory in Baton Rouge, LA, using samples procured and submitted by Consultant.
- DOTD will provide access to project plans and contract proposal.
- DOTD Structural/Marine Fabrication Engineer will perform all shop and fabrication inspection.
- DOTD will provide sampling plan for the project.
- HeadLight/SiteManager Instructor and technical support.

#### ITEMS TO BE PROVIDED BY THE ENTITY

- Traffic Data
- Capacity Analysis
- Borings, if required

#### INDEPENDENT TESTING LABORATORY

In the event the DOTD Testing Laboratory is not available, the selected consultant must have access to a qualified independent testing laboratory, per 23 CFR 637.209. The selected consultant must provide documentation verifying access to a qualified independent testing laboratory to the DOTD PM within 10 business days of the award notification to the consultant.

#### **ELECTRONIC DELIVERABLES**

Consultant hereby agrees to produce electronic deliverables in conformance with DOTD Software and Deliverable Standards for Electronic Plans document in effect as of the effective date of the most recent contract action or modification, unless exempted in writing by the Project Manager. Consultant is also responsible for ensuring that sub-consultants submit their electronic deliverables in conformance with the same standards. DOTD Software and Deliverable Standards for Electronic Plans document and DOTD CAD Standards Downloads are available via links on the DOTD web site.

Consultant shall apply patches to CAD Standard Resources and install incremental updates of software as needed or required. Consultant hereby agrees to install major updates to software versions and CAD Standard Resources in a timely manner. Major updates of CAD standards and software versions shall be applied per directive or approval of the DOTD Design Automation

Manager. Such updates will not have a significant impact on the plan development time or project delivery date, nor will they require Consultant to purchase additional software. Prior to proceeding with plan development, Consultant shall contact the Project Manager for any special instructions regarding project-specific requirements.

In the event that any Digital Plan Delivery Standard conflicts with written documentation, including DOTD plan-development Manuals, the Digital Plan Delivery Standard governs. Consultant is responsible for contacting the Project Manager should questions arise.

Consultant shall upload (or check in) electronic deliverables directly into the DOTD ProjectWise repository at each plan delivery milestone. Consultants are responsible for performing certain operations at each milestone including, but not limited to, the following:

- Upload (or check in) CAD plan deliverables to the discipline "Plans" folder
- Apply and maintain indexing attributes to CAD plans (and other deliverables as needed)
- Publish PDF format plan submittals in ProjectWise using automated publishing tools
- Digitally sign PDF format plan submittals in ProjectWise according to DOTD standards and procedures (Final Plans, Revisions and Change Orders). Signatures shall be applied in signature blocks provided with electronic seals and Title Sheets.

Additionally, after reviewing deliverables for each submittal milestone, the Project Manager shall notify Consultant regarding the availability of two automatically-generated informational reports in ProjectWise. These reports document the completion status and other information regarding indexing attributes and CAD standards. Consultants shall take these reports into account and make any necessary adjustments to plans before the next submittal milestone; or sooner, if directed by the Project Manager.

## SPECIFIC SOFTWARE AND / OR EQUIPMENT DESIRED

- Laptop with ability to synchronize with SiteManager
- I-Pad with mobile data and HeadLight software

## ATTACHMENT B – MINIMUM PERSONNEL REQUIREMENTS (MPRs)

The following requirements must be met at the time the proposal is submitted:

- 1. At least one (1) principal of the prime consultant shall be a registered professional engineer in the state of Louisiana.
- 2. At least one (1) principal or other responsible member of the prime consultant shall be currently registered in the state of Louisiana as a professional engineer in civil engineering.
- 3. At least one (1) principal or responsible member of the prime consultant shall be a professional civil engineer, registered in the state of Louisiana, and shall have a minimum of five (5) years of experience in responsible charge of managing road construction projects.

# MPRS ARE TO BE MET BY SEPARATE INDIVIDUALS OF THE PRIME CONSULTANT, UNLESS STATED OTHERWISE BELOW.

MPR Nos. 1 through 3 may be met by the same person.

NOTE: WHEN SATISFYING A MINIMUM PERSONNEL REQUIREMENT, PLEASE ENSURE THE RÉSUMÉ REFLECTS REQUIRED EXPERIENCE AS REQUESTED.

Although the MPRs must be met by the prime consultant only, this does not preclude the use of sub-consultant(s) in the performance of the contract.

- Please note the number of MPRs are minimal; however, all relevant personnel necessary to
  perform the Scope of Services, such as certified inspectors, must be identified in Section 14 of
  the DOTD Form 24-102 and their resumes included in Section 16 of the DOTD Form 24-102.
- When applicable, DOTD-certified inspector certifications must be submitted in Section 20 of the DOTD Form 24-102. Inspectors may only inspect activities in which they hold an active DOTD certification. (See DOTD Construction Contract Administration Manual)