ADVERTISEMENT FOR ENGINEERING AND RELATED SERVICES JANUARY 9, 2025

ENTITY CONTRACT NO. 4400031120 STATE PROJECT NO. H.016021.5 FEDERAL AID PROJECT NO. H016021 US 165: COLUMBIA PORT COMMISSION IMPRV ROUTE: US 165

DBE GOAL = 3\%

CALDWELL PARISH

Under the authority granted by Title 48 of Louisiana Revised Statutes, the Louisiana Department of Transportation and Development (DOTD) hereby issues this advertisement for consulting firms to provide engineering and related services. Consultants who are a Louisiana or foreign LLC or corporation should be appropriately registered with the Louisiana Secretary of State, as contemplated by Title 12 of the Louisiana Revised Statutes, and with the Louisiana Professional Engineering and Land Surveying (LAPELS) Board under its rules for firms. If a consultant is not in good standing in accordance with those provisions, it may be subject to consequences contemplated in Title 12 and/or the LAPELS rules. All requirements of LAPELS must be met at the time the proposal is submitted. Prime consultants must be registered with the Louisiana Secretary of State and the Federal Government, using SAM.gov, prior to contract execution.

One (1) proposal will be selected for the contract solicited per this advertisement. Only one (1) DOTD Form 24-102 proposal is required for this advertisement, and it represents the prime consultant's qualifications and those of any and all sub-consultants proposed to be used for the referenced contract(s). All identifying contract number(s) should be listed in Section 2 of the DOTD Form 24-102. USE THE DOTD FORM 24-102, DATED DECEMBER 12, 2024, PROVIDED WITH THE ADVERTISEMENT.

The contract will be between the selected consultant and **Columbia Port Commission**, referred to as the "**Entity**".

DOTD Contract Manager (CM) – Mohammad Nur

Any questions concerning this advertisement must be sent in writing to <u>DOTDConsultantAds80@la.gov</u> no less than 48 hours (excluding weekends and holidays) prior to the proposal deadline.

SCOPE OF SERVICES

The general tasks to be performed by the Consultant for this contract are described more specifically in Attachment A, which is incorporated herein by reference.

The Consultant shall perform the work in accordance with the requirements of this advertisement and the resulting contract. Deliverables shall be in such format as required in Attachment A. The work performed by the Consultant shall be performed in a manner consistent with that degree of care and skill ordinarily exercised by members of the same profession currently practicing under similar circumstances.

MINIMUM PERSONNEL REQUIREMENTS (MPRs)

The requirements set forth in Attachment B must be met at the time the proposal is submitted.

EVALUATION CRITERIA

The criteria to be used by DOTD in evaluating responses for the selection of a consultant to perform these services are listed below:

- 1. firm experience on similar projects, weighting factor of three (3);
- 2. staff experience on similar projects, weighting factor of four (4);
- 3. firm size as related to the project magnitude, weighting factor of three (3);
- 4. past performance on similar DOTD projects, weighting factor of six (6)*;
- 5. current work load with DOTD, weighting factor of five (5);

100%

6. approach and methodology, weighting factor of nine (9).

Percent of Contract

THE FOLLOWING TABLE MUST BE COMPLETED AND INCLUDED IN SECTION 12 OF THE DOTD FORM 24-102 PROPOSAL.

Sub-consultants are allowed to be used for this proposal. Fill in the table by identifying only those disciplines consistent with the approach and methodology proposed in Section 18 of the DOTD Form 24-102*, the name of each firm that is part of the proposal, and the percentage of work in each discipline to be performed by that firm. The percentage estimated for each discipline is for evaluation purposes only and will not control the actual performance or payment of the work. The percentages for the prime and sub-consultants must total 100% for each discipline, as well as the overall total percent of the contract. (Add rows and columns as needed)

Discipline(s)	% of	Prime	Firm B	Firm C	Firm D	Firm E	Each
	Overall						Discipline
	Contract						must total
	Contract						to 100%
							100%
							100%
							100%
Identify the percentage of work for the overall contract to be performed by the prime							
consultant and each sub-consultant.							

^{*}The disciplines are: Appraiser, Bridge, CE&I/OV, CPM, Data Collection, Environmental, Geotech, ITS, Other (must specify), Planning, Right-of-Way, Road, Survey, and Traffic.

^{*}The Consultant is to identify in the table below those disciplines consistent with the approach and methodology proposed in Section 18 of the DOTD Form 24-102.

If sub-consultants are used, the prime consultant can perform less than 50% of the work, but none of the sub-consultants can perform a larger percentage of the overall contract than the prime consultant.

Proposals will be evaluated as set forth in the "Evaluation Criteria" section of this advertisement. The evaluation will be by means of a point-based rating system. Each of the above criteria will receive a rating on a scale of one (1) through five (5). The rating will then be multiplied by the corresponding weighting factor. The rating in each category will then be added to arrive at the proposal's final rating.

DOTD's Project Evaluation Team (PET) will be responsible for performing the above described evaluation, and will present a shortlist of the three (3) (if three are qualified), highest rated consultants to the Secretary of DOTD. The Secretary will make the final selection.

COMPLIANCE WITH SUPPLEMENTAL ETHICS REQUIREMENTS

DOTD has established supplemental ethics requirements applicable to consultants and PET members. These requirements are found in the "Supplemental Ethics Requirements" article of the sample contract linked to this advertisement, which are incorporated herein by reference. Any firm that is found to have violated these requirements may not be considered for this selection.

By submission of a proposal to perform services pursuant to this advertisement, the Consultant agrees to comply with DOTD's Supplemental Ethics Requirements.

RULES OF CONTACT UPON ADVERTISEMENT

DOTD is the single source of information regarding the contract selection. Any official correspondence will be in writing, and any official information regarding the contract will be disseminated by DOTD's designated representative via the DOTD website. The following rules of contact will apply during the contract selection process, commencing on the advertisement posting date and ceasing at the time of final contract selection. Contact includes face-to-face communication, the use of a telephone, facsimile, electronic mail (email), or formal or informal written communications with DOTD. Any contact determined to be improper, at the sole discretion of DOTD, may result in the rejection of the proposal (i.e., DOTD Form 24-102).

Consultants and consultant organizations shall correspond with DOTD regarding this advertisement only through the email address designated herein; DOTDConsultantAds80@la.gov and during DOTD sponsored one-on-one meetings.

No consultant, or any other party on behalf of a consultant, shall contact any DOTD employee, other than as specified herein. This prohibition includes, but is not limited to, the contacting of: department, office, or section heads, project managers, members of the evaluation teams, and any official who may participate in the decision to award the contract resulting from this advertisement.

DOTD will not be responsible for any information or exchange that occurs outside the official process specified above.

By submission of a proposal to perform services pursuant to this advertisement, the Consultant agrees to the communication protocol herein.

PROJECT TIME

The overall time for the completion of the scope of services is estimated to be **two** (2) years.

COMPENSATION (September 2024)

The compensation payable to the Consultant for initial services rendered in connection with this contract is estimated at \$849,908. This estimate will be used for grading purposes only. Actual compensation will be determined by DOTD based on work hours negotiated between DOTD and the selected consultant. Within fifteen (15) calendar days of notification of selection, a kick-off meeting will be held with the selected consultant and appropriate DOTD personnel. The selected consultant will be required to submit a work hour proposal within thirty (30) calendar days following the notification of selection. The negotiation period shall not exceed ninety (90) calendar days from the selection notification date. If an agreement cannot be reached with the selected consultant within that time, negotiations may be terminated and another consultant selection made from the shortlist.

Payment will be made based on negotiated specific rates of compensation and cost per unit of work.

DIRECT EXPENSES

To the extent that the Consultant is allowed to claim reimbursement for direct expenses, all direct expense items that are not paid for in the firm's indirect cost rate, and are, needed and will be consumed during the life of the contract must be identified by the Consultant during contract development. The acquisition or rental of standard equipment or resources to be used in the provision of services rendered for this contract will not be considered for payment under direct expenses (e.g., vehicles for construction engineering and inspection (CE&I) inspectors).

The Consultant should own most of the equipment required to provide the work and services. The cost of this equipment should be included in the Consultant's indirect cost rate. Equipment may be considered "specialized" if it cannot be considered standard equipment for that particular consultant's normal operating business needs. If a consultant believes special equipment is needed for the contract, the Consultant must inquire through the Question and Answer process, as provided herein, whether the identified item will be considered specialized equipment for the individual contract.

All travel related expenses will be compensated under direct expenses, and will be in accordance with the most current Louisiana Office of State Travel regulations as promulgated in the Louisiana Administrative Code under the caption "PPM No. 49", with the exception that compensation for

vehicle usage will be based on actual miles traveled directly and exclusively related to project needs. Vehicle rental rates will require prior approval from the PM.

CYBERSECURITY TRAINING

In accordance with La. R.S. 42:1267(B)(3) and the State of Louisiana's Information Security Policy, if the Consultant, any of its employees, agents, or sub-consultants will have access to State government information technology assets, the Consultant's employees, agents, or sub-consultants with such access must complete cybersecurity training annually, and the Consultant must present evidence of such compliance annually and upon request. The Consultant may use the cybersecurity training course offered by the Louisiana Department of State Civil Service without additional cost or may use any alternate course approved in writing by the Office of Technology Services.

For purposes of this Section, "access to State government information technology assets," means the possession of credentials, equipment, or authorization to access the internal workings of State information technology systems or networks. Examples would include but not be limited to State-issued laptops, VPN credentials to credentials to access the State network, badging to access the State's telecommunications closets or systems, or permissions to maintain or modify IT systems used by the State. Final determination of scope inclusions or exclusions relative to access to State government information technology assets will be made by the Office of Technology Services.

QUALITY ASSURANCE/QUALITY CONTROL

DOTD requires the selected consultant and all sub-consultants to develop a Quality Assurance/Quality Control (QA/QC) program in order to provide a mechanism by which all deliverables will be subject to a systematic and consistent review. The selected consultant shall address in its plan the review of all sub-consultant work and deliverables. Only the selected consultant must submit their QA/QC plan to the DOTD PM within 10 business days of the award notification to the Consultant (do not include QA/QC plan in the DOTD Form 24-102). Consultants must ensure quality and adhere to established DOTD policies, procedures, standards and guidelines in the preparation and review of all deliverables. DOTD may provide limited input and technical assistance to the Consultant. Any deliverables to be transmitted by the Consultant shall be transmitted with a DOTD Quality Assurance/Quality Control Checklist, and a certification that the deliverables meet DOTD's quality standards.

If Attachment A includes specific QA/QC requirements that contradict those set forth above, the requirements in Attachment A control.

TRAFFIC ENGINEERING PROCESS AND REPORT TRAINING REQUIREMENTS

As part of DOTD's on-going commitment to high quality traffic engineering reports, a traffic engineering training course must be taken by traffic engineering PEs and EIs in order to be eligible to work on DOTD projects. When traffic is included as a discipline on which past performance is evaluated, for consultants performing traffic engineering services (i.e., traffic analysis throughout all DOTD project stages and/or QC of traffic analysis), appropriate personnel must successfully complete the three (3) modules of the Traffic Engineering Process and Report Course offered by

Louisiana Transportation Research Center (LTRC). This Course must be completed no later than the time the proposal is submitted or show proof of registration for the Course from the LTRC's Registration site. **Copies of training certificates or proof of registration are to be included in Section 20 of the proposal."** It will be the prime consultant's responsibility to ensure their staff and sub-consultants complete the training. Copies of training records may be obtained from the LTRC website https://registration.ltrc.lsu.edu/login.

WORK ZONE TRAINING REQUIREMENTS

As part of DOTD's on-going commitment to work zone safety, required work zone training courses must now be taken every four (4) years in order for personnel to remain eligible to work on DOTD projects. For consultants performing preconstruction services (*e.g.*, design, survey, subsurface utility, geotechnical, traffic, bridge inspection, environmental services), appropriate personnel must successfully complete these courses. In general, the person in responsible charge of traffic control plans shall be required to have Traffic Control Supervisor training. For preconstruction field services performed within the clear zone, at least one (1) member of the field crew shall have Traffic Control Supervisor or Traffic Control Technician training. The Consultant should identify all personnel listed in the staffing plan (Section 14) for the contract who have completed the appropriate work zone training courses. All preconstruction work zone training requirements shall be met **prior to contract execution**. It will be the prime consultant's responsibility to ensure their staff and sub-consultants have the appropriate work zone training.

In addition to the above requirements, if the Scope of Services set forth in Attachment A includes Construction Engineering and Inspection (CE&I), the following training requirements shall be met at the time the proposal is submitted and are to be included in Section 20 of the proposal:

Field Engineers: Traffic Control Technician

Traffic Control Supervisor

Flagger

Field Engineer Interns: Traffic Control Technician

Traffic Control Supervisor

Flagger

Field Senior Technicians, Survey Party Chiefs, and

SUE Worksite Traffic Supervisors*: Traffic Control Technician

Traffic Control Supervisor

Flagger

Other Field Personnel*: Traffic Control Technician

Flagger

Approved courses are offered by ATSSA and AGC. Substitutes for these courses must be approved by the DOTD Work Zone Task Force. For more information, please contact DOTD HQ Construction at 225-379-1584. Specific training course requirements are:

^{*} excluding Asphalt Plant Inspector, Paint Managers, and Paint Inspectors

Flagger: Successful completion every four (4) years of a work

zone flagger course approved by the Department. The "DOTD Maintenance Basic Flagging Procedures Workshop" is not an acceptable substitute for the

ATSSA and AGC flagging courses.

Traffic Control Technician (TCT): Successful completion every four (4) years of a work

zone traffic control technician course approved by the Department. After initial successful completion, it is not necessary to retake this course every four (4) years if Traffic Control Supervisor training is

completed every four (4) years.

Traffic Control Supervisor (TCS): Successful completion of a work zone traffic control

supervisor course approved by the Department. Following an initial completion, traffic control supervisors must either complete a one (1)-day TCS refresher course or retake the original two (2)-day TCS

course every four (4) years.

ATSSA contact information: (877) 642-4637

ALL WORK ZONE TRAINING CERTIFICATIONS MUST BE ACTIVE

REFERENCES

All services and documents will meet the standard requirements as to format and content of DOTD and will be prepared in accordance with the latest applicable editions, supplements, and revisions of the following:

- AASHTO Standards The American Association of State Highway Transportation Officials https://www.transportation.org/
- 2. AASHTO Highway Safety Manual -

https://www.highwaysafetymanual.org/Pages/default.aspx

- 3. AASHTO A Policy on Geometric Design of Highways and Streets https://bookstore.transportation.org/collection_detail.aspx?ID=110
- 4. ASTM Standards https://www.astm.org/BOOKSTORE/BOS/index.html
- 5. CyberSecurity Training https://forms.gle/deZGAo5hUMWeSG4P6
- 6. DOTD Bridge Design and Evaluation Manual (BDEM) http://www.sp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/Bridge_Design/Pages/BD

EM.aspx

7. DOTD – Complete Streets –

http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/CompleteStreets/Pages/default.aspx

- 8. DOTD Construction Contract Administration Manual http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/Pages/Engineering_Docs.aspx
- 9. DOTD Consultant Contract Services Manual http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/CCS/Manuals/CCS%20M anual%20rev%20Dec%202020.pdf
- 10. DOTD Hydraulics Manual http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/Public_Works/Hydraulics/Documents/Hydraulics%20Manual.pdf
- 11. DOTD Location and Survey Manual REVISED OCTOBER 2023

 http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/LocationSurvey/Manuals/20and%20Forms/Location_and_Survey_Manual.pdf
- 12. DOTD Addendum "A" to the Location & Survey Manual http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/LocationSurvey/Manuals%20and%20Forms/Location%20and%20Survey%20Manual%20-%20Addendum%20A.pdf
- 13. DOTD Louisiana Standard Specifications for Roads and Bridges http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/Standard_Specifications/Pages/Standard%20Specifications.aspx
- 14. DOTD Materials Sampling Manual http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/Materials_Lab/Pages/Menu_MSM.aspx
- 15. DOTD Minimum Design Guidelines http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/Road_Design/Memoranda/Minimum%20Design%20Guidelines.pdf
- 16. DOTD Off-System Highway Bridge Program Guidelines http://wwwsp.dotd.la.gov/Inside-LaDOTD/Divisions/Engineering/Bridge-Design/Manuals/Other%20Manuals%20-%20Guidelines/2019%20Federal%20Aid%20Off-System%20Highway%20Bridge%20Program%20Guidelines.pdf
- 17. DOTD Pavement PRR Min Design Guidelines http://www.sp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/Road_Design/Systems_Preservation/Guidelines/DOTD%20Pavement%20PRR%20Min%20Design%20Guidelines.pdf
- 18. DOTD Roadway Design Procedures and Details Manual http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/Road_Design/Pages/Road -Design-Manual.aspx
- 19. DOTD Stage 1 Planning/Environmental Manual of Standard Practice http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/Environmental/Pages/Stage-1.aspx
- 20. DOTD Testing Procedures Manual http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/Materials_Lab/Pages/Menu_TPM.aspx

- 21. DOTD Traffic Engineering Manual http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/Traffic_Engineering/Misc_%20Documents/Traffic%20Engineering%20Manual.pdf
- 22. DOTD Traffic Engineering Process and Report http://wwwsp.dotd.la.gov/Inside_LaDOTD/Divisions/Engineering/Traffic_Engineering/ManualsPublications/Pages/TEPR.aspx
- 24. e-CFR Electronic Code of Federal Regulations (all applicable) https://ecfr.io/
- 25. FHWA Bridge Inspector's Reference Manual (BIRM) website: https://www.fhwa.dot.gov/bridge/nbis.cfm manual: https://www.fhwa.dot.gov/bridge/nbis/pubs/nhi12049.pdf
- 26. FHWA Manual on Uniform Traffic Control Devices for Streets and Highways (MUTCD) http://mutcd.fhwa.dot.gov/
- 27. National Electrical Safety Code (NESC) https://standards.ieee.org/products-services/nesc/index.html
- 28. NFPA 70 National Electrical Code (NEC) https://www.nfpa.org/codes-and-standards/all-codes-and-standards/list-of-codes-and-standards/detail?code=70
- 29. NEPA National Environmental Policy Act https://www.epa.gov/nepa

CONTRACT EXECUTION REQUIREMENTS

The selected consultant will be required to execute the contract within ten (10) days after receipt of the contract.

A sample of the contract provisions can be found at the following link: http://wwwsp.dotd.la.gov//Inside LaDOTD/Divisions/Engineering/CCS/Pages/Advertisements.aspx.

DISADVANTAGED BUSINESS ENTERPRISE REQUIREMENT

This advertised contract has a Disadvantaged Business Enterprise (DBE) goal of 3% of the contract fee. Credit for DBE participation will be limited to the firms certified pursuant to the Louisiana Unified Certification Program. For convenience, DOTD provides a list on its website (http://www8.dotd.la.gov/UCP/UCPSearch.aspx) of firms that have been certified as eligible to participate as DBEs on US DOT assisted contracts. This list is not an endorsement of the quality of performance of any firm but is simply an acknowledgment of the listed firms' eligibility as a DBE. DOTD makes no representations of the accuracy or completeness of this list on any particular date or time. Prime consultants considering the use of a particular DBE sub-consultant

are advised to obtain documentation of certification status from that sub-consultant prior to submission of DOTD Form 24-102.

Prime consultants must specify by firm name in Section 11 on the DOTD Form 24-102 all DBE firms which the prime intends will participate in providing services under the contract to meet the DBE goal and indicate for each the percent of the contract fee for the services that will be performed by each specified DBE firm. If the prime did not succeed in obtaining enough DBE participation to meet the goal, it must attach to the DOTD Form 24-102, behind Section 23, documentation of its good faith efforts to meet the goal.

REVISIONS TO THE ADVERTISEMENT

DOTD reserves the right to revise any part of the advertisement by issuing addenda to the advertisement at any time. Issuance of this advertisement in no way constitutes a commitment by DOTD to award a contract. DOTD reserves the right to accept or reject, in whole or part, all DOTD Form 24-102s submitted, and/or cancel this consultant services procurement if it is determined to be in DOTD's best interest. All materials submitted in response to this advertisement become the property of DOTD, and selection or rejection of a proposal does not affect this right. DOTD also reserves the right, at its sole discretion, to waive administrative informalities contained in the advertisement.

CLARIFICATIONS

DOTD reserves the right to request clarification of ambiguities or apparent inconsistencies found within any proposal, if it is determined to be in DOTD's best interest.

PROPOSAL REQUIREMENTS

The Consultant's proposal for this advertisement must be submitted by email to <u>DOTDConsultantAds80@la.gov.</u> USE THE DOTD FORM 24-102, DATED <u>DECEMBER 12, 2024, PROVIDED WITH THE ADVERTISEMENT.</u> Hard copies of the Consultant's proposal are not required. All proposals must be in accordance with the requirements of this advertisement, and the Consultant Contract Services Manual. Unless otherwise stated in this advertisement, copies of licenses and certificates are not required to be submitted with the proposal.

If more than one (1) contract is to be selected based on this advertisement, no prime consultant is allowed to be a sub-consultant on any other consultant's 24-102. If a prime consultant is submitted as a sub-consultant on another consultant's 24-102, its proposal as a prime consultant may be deemed non-responsive.

ANY CONSULTANT FAILING TO SUBMIT ANY OF THE INFORMATION REQUIRED ON THE DOTD FORM 24-102, OR PROVIDING INACCURATE INFORMATION ON THE DOTD FORM 24-102, MAY BE CONSIDERED NON-RESPONSIVE.

DOTD employees may not submit a proposal, nor be included as part of a consultant's proposal.

Contract and/or part-time employees are allowed. Such employees should be shown in Section 14 of the DOTD Form 24-102 with an asterisk denoting their employment status.

The DOTD Form 24-102 PDF file shall be labeled "ENTITY CONTRACT NO. 4400031120 Consultant's name", and must be received no later than 3:00 p.m. Central Time by DOTDConsultantAds80@la.gov via email on Wednesday, February 5, 2025.

The PDF file must be attached in the email or as a hyperlink in the email or as an email through third-party file transfer websites such as Dropbox or WeTransfer.

Please note that delivery failure may occur on email files exceeding 25MB uncompressed. In addition, all emails are scanned for cybersecurity threats prior to delivery to DOTDConsultantAds80@la.gov; therefore, allow sufficient time for this process to take place when submitting your proposal.

ATTACHMENT A – SCOPE OF SERVICES

The project time is critical.

The home office indirect cost rate shall be applicable to all services except as otherwise designated hereafter.

The Consultant shall provide the following engineering and related services:

This RAISE Grant project will design and construct a Truck Parking Facility for approximately 50 commercial trucks, 100 cars, and 12 electric vehicle (EV) charging stations along with an amenity building near the inland Port of Columbia, Ouachita River, and LA 165. More information including preliminary exhibits about this RAISE Grant Project can be found in the Port of Columbia's website (https://www.portcolumbia.com/fy23-raise-grant-application).

The services to be performed are described more specifically as follows:

INITIAL SERVICES

TASK 1: PROJECT MANAGEMENT

The Consultant shall schedule a kick-off meeting with the DOTD Project Manager and project team according to the Schedule of Deliverables. The Consultant is responsible for setting up the project kick-off meeting which will include, but not be limited to, the meeting agenda, miscellaneous handouts, and project schedule. Agenda items for this meeting shall include the review points and durations, time-frame assumptions built into the project schedules, invoicing procedures, progress reporting, and rating criteria. The Consultant is responsible for meeting minutes which shall be provided to the DOTD Project Manager within three (3) business days following the meeting.

Project Tracking and Management

The Consultant is responsible for project tracking and will ensure all tasks are completed on schedule. All correspondence shall include applicable state project numbers, along with the project names, route number, parish, and federal aid project numbers. The Consultant shall provide the Project Manager with a monthly project schedule (in Microsoft Project) and progress report including the estimated and actual date of completion of each task to be performed. The Consultant shall provide the Project Manager with monthly invoices using DOTD's standard form for invoicing. The Consultant shall provide a completed Contract Tracking spreadsheet with each invoice.

The Consultant shall coordinate with and provide the DOTD Project Manager with monthly updates. It is anticipated that the Consultant will have periodic coordination meetings with the DOTD Project Manager and other subject matter experts during the course of the project to review the project status and address any concerns of DOTD.

Deliverables: Submittal of monthly project schedule, progress report and invoices, meeting Minutes.

TASK 2: TOPGRAPHIC SURVEY

This project is located in Caldwell Parish, approximately seven (7) miles north of Columbia, Louisiana, along and adjacent to US 165. A detailed description of the project area is outlined below.

The first portion of this project shall begin at a point along US 165 approximately 1,133 feet southeasterly of the intersection of US 165 and Riverton Camp Road, and continue in a northwesterly direction along US 165 for a linear distance of approximately 5,385 feet. The width of the DTM shall be 190 feet.

The second portion of this project is located adjacent to US 165, within and adjacent to the previously mentioned area, on the north and south side of US 165. The width of the DTM shall vary. Please see attached survey request map for more detailed limits of survey.

A complete Topographic survey including all utilities with depths and all drainage is required, along with finish floor elevations of all buildings that fall within the survey limits. This project shall be completed in accordance with the Location and Survey Manual and all current accepted Location and Survey Automation procedures.

A drainage map shall be required. Please refer to the Location and Survey Photogrammetry Unit for detailed instructions of what is required on the drainage map.

Permission of land owners shall be acquired by the Consultant before entering any property associated with this description.

All work is to be done in English units of measurement.

TASK 3: GEOTECHNICAL INVESTIGATION and DESIGN SERVICES

The geotechnical engineering scope for this project includes a subsurface investigation, laboratory testing, engineering design recommendations, and preparation of a geotechnical interpretation report. The proposed structures and minimum field exploration requirements are as follows:

Proposed Structure	Number of Soil Borings	Boring Depth (ft)
Amenity Building	2	24
Truck Parking Facility	2	6
Truck Access Road	4	6
US 165 Shoulder	2	6

GEOTECHNICAL INVESTIGATION

The Consultant shall perform a geotechnical investigation consisting of soil borings, laboratory testing, optional cone penetrometer test (CPT) soundings, soil classification, site characterization, and soil boring logs. In addition to the referenced ASTM designations, refer to *FHWA Geotechnical Engineering Circular No. 5* (GEC 5) for best practices pertaining to geotechnical site characterization.

Field Investigation – Amenity Building Borings

The field investigation may consist of traditional soil borings with laboratory testing, or a combination of that along with CPT soundings (ASTM D3441, ASTM D5778). At least two soil boring shall be made within the proposed building footprint. Cone penetrometer soundings may be used in lieu of additional borings, but an adjacent 10-foot-depth soil boring should be performed to confirm soil conditions. It is the Consultant's responsibility to conduct a desk study prior to commencing fieldwork to determine the adequacy of the proposed fieldwork for that particular site.

Borings/soundings shall be made to a minimum depth of 24 feet below existing grade; however, actual depths may need to be deeper depending on the anticipated foundation reactions.

Water level readings shall be made in all soil borings. If the field investigation requires multiple days to complete, at least one 24-hour water level observation shall be made. Boring/sounding locations shall be located initially using a hand-held GPS. Final coordinates and elevations shall be surveyed.

Sampling

Soil borings shall be made using wet/mud rotary methods below the water table, with solid-stem augering (ASTM D1452) permissible above the water table. Sampling shall consist of pushing thin-walled Shelby tubes in cohesive soils (ASTM D1587) and Standard Penetration Testing (SPT) in cohesionless soils (ASTM D1586). Only automatic hammers shall be used to perform SPT on DOTD projects. Continuous sampling shall be performed within at least the upper 10 feet, followed by either:

- Sampling at 5-foot centers in cohesive soils, or
- Sampling at 3-foot centers in cohesionless soils.

Shelby tube sampling in cohesionless soils and SPT sampling in cohesive soils will not be allowed, except on a case-by-case basis where Shelby tubes cannot be pushed into very hard cohesive soils. When a Shelby tube is retrieved with no recovery, the hole shall be cleaned out and a SPT shall be performed directly below the previous sampling interval.

Borehole Abandonment

Boreholes and CPT soundings shall be backfilled in accordance with all local, State, and Federal regulations. Refer to the *Construction of Geotechnical Boreholes and Groundwater Monitoring Systems Handbook* for State regulations in the making of boreholes.

Sample Storage and Transport

The following practices shall be observed during transport and storage of the samples:

- Cohesive samples may be extruded in the field provided they are stiff enough to be wrapped and transported, otherwise, samples shall be extruded at the laboratory;
- Shelby tubes not extruded in the field shall be sealed using expansion packers to prevent moisture loss and disturbance;
- Samples shall be extruded using a continuous pressure hydraulic ram. Extrusion by any other method, such as water pressure, is prohibited;
- Samples shall be extruded directly onto a sample trough, not caught by the hand, and;
- Samples shall be transported vertically in the same orientation that they were sampled.

Follow ASTM D4220 for sample transportation except as noted herein.

Field Logs

Soil borings shall be logged in the field using the visual-manual method for classification (ASTM D2488).

Field Investigation – Pavement Borings

Subgrade soil survey borings can be made utilizing continuous-flight augers, pneumatic, or direct-push sampling. The depth of each boring should be at least six (6) feet below the finished roadway elevation or natural ground, whichever is greater, with additional sampling and testing requirements for areas of cut/fill greater than ten (10) feet. In these cases of excessive cut/fill heights, the deep soil borings may be more appropriate.

Laboratory Testing

All laboratory testing shall conform to applicable ASTM and AASHTO test designations.

Building Borings

The following laboratory tests shall be performed, at a minimum:

• Moisture content (ASTM D2216)

- Unconsolidated-undrained triaxial compressive strength (ASTM D2850)
- Atterberg Limits (ASTM D4318)
- Grain size testing (ASTM D1140 and ASTM D6913) as needed to classify granular soils.

It is unlikely that consolidation testing will be needed; however, one-dimensional consolidation tests (ASTM D 2435) may be performed in special cases where settlement due to fill is expected to be significant.

Dry preparation methods shall not be used for any borings.

Extrusion Logs

While extruding soil samples for building borings in the lab, an extrusion log shall be made using the visual-manual classification method. New pocket penetrometer readings shall be made on representative portions of the samples.

Shallow Subgrade Soil Surveys

The different layers of the soil strata shall be identified every two (2) feet or strata break at the discretion of the lab engineer of record using the AASHTO classification system (ASTM D3282, AASHTO M 145) and shall include sufficient quantities of the following tests to characterize the subsurface profile:

- Atterberg Limits (ASTM D4318)
- Moisture content (ASTM D2216)
- Grain size testing (ASTM D1140 and ASTM D6913)
- Hydrometer tests (ASTM D7928)

Site Characterization & Boring Logs

For building borings, the Consultant shall use the field and laboratory data to classify the soils according to the Unified Soil Classification System (USCS) (ASTM D2487). The results shall be presented on signed and sealed soil boring logs. In addition to the USCS classification, the soil descriptions shall include soil consistency/strength, color, and other details or inclusions such as seams, nodules, organics, etc.

Cone penetrometer test soundings shall be presented on signed and sealed logs. This standard format presents tip resistance, side friction, pore water pressure, and classification based on the Zhang and Tumay method. Examples of boring logs and CPT logs can be furnished upon request. Shallow Subgrade soil survey borings shall be presented in a tabular format containing all test results and classified using the AASHTO soil classification method.

GEOTECHNICAL ENGINEERING DESIGN

The following geotechnical design elements are anticipated for this project. Should the project scope change from these assumptions, DOTD should be notified immediately.

- Site preparation and earthwork recommendations
- Shallow foundation design recommendations
 - o Anticipated total and differential settlement estimates
 - Bearing Resistance
- Dewatering methods
- Excavation recommendations
- Pavement design and construction recommendations

DELIVERABLES

The following deliverables shall be provided during the course of the geotechnical investigation:

Geotechnical Investigation Plan

Prior to beginning the field work associated with the geotechnical investigation, submit a site layout with proposed boring/CPT locations for review and approval. Additionally, coordinate with district personnel and provide traffic control plan if traffic will be affected. Traffic control plan should include anticipated dates of road/lane closure and limits of road/lane closure. Final traffic control plan should be submitted sixty (60) days prior to anticipated closure dates.

Geotechnical Data Report

For each project with a subsurface investigation, the Consultant shall furnish a final Geotechnical Data Report (GDR) detailing the results of the subsurface investigation. The GDR will be included in the bid documents and shall contain only factual information and no opinions or engineering recommendations. The GDR shall be signed and sealed by a Professional Civil Engineer registered in the State of Louisiana, and shall include, at a minimum:

- 1) Cover letter with executive summary describing the subsurface investigation;
- 2) Table of contents;
- 3) Report Body containing the following sections, at a minimum:
 - a. Project Description;
 - b. Summary of subsurface investigation, including description of methods and standards used; and
 - c. Summary of laboratory testing performed, including description of methods and standards used.
- 4) Appendix containing the following items, at a minimum:
 - a. Boring plan;

- b. General bridge plan & profile sheet used to establish the boring locations;
- c. Soil boring logs;
- d. Plots of grain size distribution curves and consolidation tests, as applicable; and
- e. Laboratory test data sheets, including extrusion logs, stress vs. strain plots for triaxial testing, consolidation test deformation vs. time plots (when applicable), Atterberg Limit worksheets, etc.
- f. Report containing Standard Penetration Test (SPT) hammer calibration date and efficiency.

Geotechnical Interpretation Report

The Consultant shall furnish a final Geotechnical Interpretation Report (GIR) detailing assumptions, design methodologies, and final recommendations. The report shall be signed and sealed by a Professional Civil Engineer registered in the State of Louisiana, and shall include the following items, at a minimum:

- 1) Cover letter with executive summary describing the structure type, loads, and bearing resistance table for various footing sizes. All plan-related notes and tables shall be provided in the cover letter.
- 2) Table of contents
- 3) Report Body containing the following sections, at a minimum:
 - a. Project Description
 - i. Summary of structure type
 - ii. Summary of subsurface investigation
 - iii. Summary of laboratory testing performed
 - b. Subsurface Conditions
 - i. Generalized subsurface profile
 - ii. Summary of groundwater conditions
 - c. Site preparation and earthwork recommendations
 - i. Excavation recommendations
 - ii. Dewatering
 - d. Foundation Analyses
 - i. Summary of design codes and specifications followed
 - ii. Discussion of the evaluation of various LRFD resistance factors and associated costs
 - iii. Brief construction recommendations
 - iv. Discussion of structural and fill total and differential settlements
 - e. Pavement Analyses
 - i. Summary of design codes and specifications followed
 - ii. Pavement design section
- 4) Appendix containing the following items, at a minimum:
 - a. Any revised documents from the GDR, such as boring plans or soil boring logs

- b. Plots of relevant soil data versus elevation including the interpreted design profile for each design site
- c. Any output or hand calculations for settlement and bearing resistance analysis

Report Format

The report shall be submitted in electronic format as a searchable .pdf file with bookmarks denoting the various sections of the report. Report body, charts, and figures shall be generated directly from the source applications in order to minimize file size. Documents scanned as raster images shall only be used when no other option exists for their inclusion into the report. All pages shall print to either 8.5" x 11" or 11" x 17" without scaling or adjustment.

Geotechnical Data

All geotechnical data shall be furnished to DOTD in a gINT file cloned from DOTD's standard gINT file. Other formats or gINT files containing a modified schema/structure will not be accepted. A copy of the standard template will be provided upon request. Raw data files from all CPT soundings shall also be furnished.

Soil Boring Logs

In addition to including half-size boring logs in the GIR, the logs shall also be included in the plans as signed and sealed full-size sheets.

TASK 4: TRUCK ACCESS RD, PARKING, and FACILITY

Truck Access Rd from/to US 165

The design will require truck access to the site from the northbound lane of US 165 along with an egress ramp to merge onto US 165 heading north as well as an ingress ramp into the site for southbound US 165 and also an egress ramp to merge onto US 165 headed south on US 165. The deceleration and acceleration ramp lengths and radii shall follow the AASHTO design guidelines. The proposed drives/ramps will be a combination of asphalt and concrete.

New Truck Parking Area

The proposed Truck Parking Area shall be concrete and include spaces for 50 semi-trucks and would preferably be separate from the car parking area for safety concerns.

New Car Parking Area

The proposed Car Parking Area shall be concrete and include spaces for 100 cars and would preferably be separate from the truck parking area for safety concerns.

New Food Truck Courtyard

A proposed Food Truck parking area if possible that would require approximately two (2) to three (3) parking spaces along with water and electrical service.

New Pedestrian Sidewalk

A 6' wide sidewalk shall be designed into the site and located outside of the truck parking facility but within the limits of construction.

New Amenity Building

The amenity building shall require enough men's and women's stalls as calculated by the ADT for US 165. There shall be a plumbing chase for accessing the back of stalls. The building size shall be approximately 3500sf and include a large foyer with possible seating for waiting visitors. Water fountains/bottle fillers shall be located in the foyer. There shall be storage rooms, lighting, waypoint signage. There shall be wall tile and floor tile for the restrooms and foyer areas. A standing seam metal roof is preferred. HVAC and electrical shall be provided.

New EV Charging Station

EV charging station for six (6) cars and six (6) trucks to be developed based on applicable design standard.

New Vending Area

A new covered vending area shall be located outside and adjacent to the restroom building within a possible courtyard area. Electrical service will need to be provided.

Site Amenities

Locate pavilions around the site and along the proposed pedestrian sidewalk with picnic tables mounted under the pavilions. Trash receptacles shall be placed at determined locations within the site. Park benches shall be installed inside the restroom building, pedestrian sidewalk, courtyard area and vending area. Place possible tables and chairs around the vending area and within the courtyard for visitors to dine.

New Site Lighting

LED lighting shall be located along the ingress/egress drives, parking areas, and pedestrian sidewalk, and the vending/courtyard areas.

New Sewer Treatment Plant

The sewer treatment plant shall be sized per the requirements of the needed restrooms, and located in a nonvisible area of the site. It shall be fenced with a wood panels.

Water Distribution System

The engineer shall design using the City of Columbia water system and follow all of the required state, city and parish codes.

New Signage

All new waypoint signage shall be designed and incorporated into the site. It shall include traffic signage as designed by the engineer.

Landscaping and Irrigation

All areas of the site shall receive landscaping with trees and shrubs. Provide landscaped islands within both parking areas to cut down on the heat island created with all the new concrete parking. All areas receiving trees and shrubs shall be irrigated.

Plan Development

The design and plan development shall consist of all engineering services required for the completion of preliminary and final plans, cost estimates and supporting documents for the project.

- 1. The Consultant shall assemble and study existing site data including but not limited to: asbuilt plans, improvement studies, traffic data, and the topographic survey.
- 2. The Consultant shall submit 30% Preliminary plans with design report, 60% Preliminary Plans, 90% Preliminary Plans (Plan-in-Hand), 100% Preliminary Plans, 60% Final Plans, 95% (ACP) Final Plans and sealed Final Plans. Deliverables shall be submitted to the DOTD Project Manager for distribution through the utilization of ProjectWise or as directed by the DOTD Project Manager. The Consultant shall include a cost estimate with each submittal.
- 3. The project shall be designed in English units and the construction plan set shall be full size.
- 4. All plans submitted by the Consultant shall conform to the quality standards adopted by DOTD. DOTD's Chief Engineer may reject any plans not conforming to these standards.
- 5. The Consultant shall submit all necessary reports, exceptions, waivers and other supporting documents at the required plan development stages.
- 6. The Consultant shall prepare all necessary special specifications, specialty item descriptions, and details for the project.
- 7. The Consultant shall provide a written disposition to all review comments to the DOTD Project Manager with or prior to the subsequent submittal.
- 8. The Consultant shall participate in project meetings such as public meetings, kick-off, preliminary plan review, joint plan review and final plan review.
- 9. The Consultant shall provide layouts, exhibits and permit sketches for DOTD's use in obtaining environmental clearance, obtaining permits and displaying at public meetings.
- 10. The Consultant shall provide assistance answering pre-bid questions submitted to DOTD.

11. The Consultant shall perform a review of the Contractor's Bid, and provide DOTD with a recommendation to award or reject the Bid.

The Consultant cannot proceed to final plans until environmental has been cleared.

The Consultant shall provide preliminary and final roadway plans and supporting document for the project including, but not limited to the following:

- Title Sheet, Layout Map and Index to Sheets
- Typical Sections and Details
- Quantity Summary Tables
- Summary of Estimated Quantities
- Plan and Profile Sheets (1:20 Scale)
- Drainage Plan and Profile Sheets (1"=20") (if necessary)
- Survey Control
- Existing Drainage Maps
- Design Drainage Maps
- Summary of Drainage Structures
- Geometric Layout and Geometric Detail Sheets
- Joint Layout and Graphical Grade Sheets (if necessary)
- Permanent Signage and Pavement Marking Layout Sheets
- Misc. Details & General Notes
- Temporary Construction Signage and Suggested Sequence of Construction
- Cross Sections
- Construction Cost Estimates
- Hydraulic Report
- Design Report
- Design Exceptions and Design Waivers
- Stormwater Pollution Prevention Plan
- Constructability/Biddability Review Form
- QA/QC Checklist
- Engineering Reason and Decision Document
- Estimated Contract Time

ADDITIONAL SERVICES

The scope of services and compensation for the following additional services, if required, will be authorized by Supplemental Agreement(s):

- R/W Maps
- Construction Support

SERVICES TO BE PERFORMED / ITEMS TO BE PROVIDED BY DOTD

- Approved Environmental Document
- As-Built Plans (if available)
- Pavement Design

ELECTRONIC DELIVERABLES

The Consultant hereby agrees to produce electronic deliverables in conformance with DOTD Software and Deliverable Standards for Electronic Plans document in effect as of the effective date of the most recent contract action or modification, unless exempted in writing by the Project Manager. The Consultant is also responsible for ensuring that sub-consultants submit their electronic deliverables in conformance with the same standards. DOTD Software and Deliverable Standards for Electronic Plans document and DOTD CAD Standards Downloads are available via links on the DOTD web site.

The Consultant shall apply patches to CAD Standard Resources and install incremental updates of software as needed or required. The Consultant hereby agrees to install major updates to software versions and CAD Standard Resources in a timely manner. Major updates of CAD standards and software versions shall be applied per directive or approval of the DOTD Design Automation Manager. Such updates will not have a significant impact on the plan development time or project delivery date, nor will they require the Consultant to purchase additional software. Prior to proceeding with plan development, the Consultant shall contact the Project Manager for any special instructions regarding project-specific requirements.

In the event that any Digital Plan Delivery Standard conflicts with written documentation, including DOTD plan-development Manuals, the Digital Plan Delivery Standard governs. The Consultant is responsible for contacting the Project Manager should questions arise.

The Consultant shall upload (or check in) electronic deliverables directly into the DOTD ProjectWise repository at each plan delivery milestone. The Consultants are responsible for performing certain operations at each milestone including, but not limited to, the following:

- Upload (or check in) CAD plan deliverables to the discipline "Plans" folder
- Apply and maintain indexing attributes to CAD plans (and other deliverables as needed)
- Publish PDF format plan submittals in ProjectWise using automated publishing tools
- Digitally sign PDF format plan submittals in ProjectWise according to DOTD standards and procedures (Final Plans, Revisions and Change Orders). Signatures shall be applied in signature blocks provided with electronic seals and Title Sheets.

Additionally, after reviewing deliverables for each submittal milestone, the Project Manager shall notify the Consultant regarding the availability of two automatically-generated informational reports in ProjectWise. These reports document the completion status and other information regarding indexing attributes and CAD standards. The Consultants shall take these reports into account and make any necessary adjustments to plans before the next submittal milestone; or sooner, if directed by the Project Manager.

ATTACHMENT B – MINIMUM PERSONNEL REQUIREMENTS (MPRs)

The following requirements must be met at the time the proposal is submitted:

- 1. At least one (1) principal of the prime consultant shall be a registered professional engineer in the state of Louisiana.
- 2. At least one (1) principal or other responsible member of the prime consultant shall be currently registered in the state of Louisiana as a professional engineer in civil engineering.
- 3. At least one (1) principal or responsible member of the prime consultant shall be a professional civil engineer, registered in the state of Louisiana, and shall have a minimum of five (5) years of experience in responsible charge of the preparation of roadway plans.
- 4. At least one (1) professional civil engineer, registered in the state of Louisiana, shall have a minimum of five (5) years of experience in geotechnical engineering.
- 5. At least one (1) professional engineer, registered in the state of Louisiana, shall have a minimum of five (5) years of experience in designing of building and amenity facilities.
- 6. At least one (1) professional electrical engineer, registered in the state of Louisiana, shall have a minimum of five (5) years of experience evaluating existing building electrical systems, and the designing and managing electrical construction projects (building electrical systems, CCTV systems, lighting systems, EV charging station, etc.).
- 7. At least one (1) professional landscape architect, registered in the state of Louisiana, shall have a minimum of five (5) years of experience evaluating existing site conditions, site development, site master planning, preparing detailed design drawings and technical specifications.
- 8. At least one (1) professional architect, registered in the state of Louisiana, shall have a minimum of five (5) years of experience evaluating existing building/facility systems, designing and integrating new facilities in compliance with the American Disabilities Act, Life Safety Code, International Building Code.
- 9. At least one (1) professional land surveyor, registered in the state of Louisiana, shall have a minimum of five (5) years of experience in responsible charge of performing property surveys and preparing ROW maps.

MPRS ARE TO BE MET BY SEPARATE INDIVIDUALS, UNLESS STATED OTHERWISE BELOW.

MPR Nos. 1 through 3 may be met by the same person.

MPR Nos. 4 and 5 may be met by the same person.

MPR Nos. 4 through 9 may be satisfied through the use of a sub-consultant(s).

NOTE: WHEN SATISFYING A MINIMUM PERSONNEL REQUIREMENT, PLEASE ENSURE THE RÉSUMÉ REFLECTS REQUIRED EXPERIENCE AS REQUESTED.

• Please note the number of MPRs are minimal; however, all relevant personnel necessary to perform the Scope of Services must be identified in Section 14 of the DOTD Form 24-102 and their resumes included in Section 16 of the DOTD Form 24-102.