

LADOTD Consultant Rating Rankings

Project: 44-11225 & 44-12382

Firm Name	Rating	Rank
Huval	110.14	1
Modjeski & Masters	108.53	2
SDR	106.33	3
HNTB	103.70	4
Stantec	102.32	5
GEC	102.22	6
TRC	101.85	7

LADOTD Consultant Computed Ratings

Project: 44-11225 & 44-12382

Firm Name	Work Type	%	Remaining (\$1000)	Firm Size**			Firm Exp.	Personnel Exp.	Location	Past Performance	Work Load***	Firm's Rating	Total Rating (if subs)	
(Weighting Factors)				3			3	4	4.00	6	5			
GEC	BZ/GD/RX/LC/EV/TM/CM	63	16,027	115	3.00	>	3.60	3.62	4.76	4.11	*	5.00	102.95	102.22
Sub: Forte & Tablada	BZ/GD/RX/LC/EV/TM/CM	29	1,009	33	3.00	>	3.00	3.34	4.74	4.34	*	5.00	101.36	
Sub: Holden Architects	BZ/GD/RX/LC/EV/TM/CM	2.6	0	4	3.00	P	3.14	3.28	4.80	3.92	*	5.00	99.23	
Sub: Bridge Diagnostics	BZ/GD/RX/LC/EV/TM/CM	2.6	348	6	3.00	P	3.60	3.72	4.13	3.92	*	5.00	99.70	
Sub: GeoEngineers	BZ/GD/RX/LC/EV/TM/CM	2	430	38	3.00	P	3.66	3.70	4.71	3.90		5.00	102.01	
Sub: Lowe Engineers	BZ/GD/RX/LC/EV/TM/CM	0.4	0	10	3.00	P	3.14	3.28	1.00	3.99	*	5.00	84.49	
HNTB	BZ/GD/RX/LC/EV/TM/CM	83	8,450	44	4.31	>	3.24	3.30	4.73	4.04	*	5.00	104.01	103.70
Sub: Bridge Diagnostics	BZ/GD/RX/LC/EV/TM/CM	2.6	348	6	4.31	P	3.60	3.72	4.13	3.92	*	5.00	103.63	
Sub: Forte & Tablada	BZ/GD/RX/LC/EV/TM/CM	10	1,009	33	3.00	>	3.00	3.34	4.74	4.33		5.00	101.32	
Sub: Fugro	BZ/GD/RX/LC/EV/TM/CM	1	239	52	4.31	P	3.14	2.82	4.73	3.90	*	5.00	100.93	
Sub: KGC Environmental	BZ/GD/RX/LC/EV/TM/CM	0.9	0	8	4.31	P	3.46	3.46	4.28	3.92	*	5.00	102.77	
Sub: Lowe Engineers	BZ/GD/RX/LC/EV/TM/CM	0.5	0	10	4.31	P	3.14	3.28	4.38	3.99	*	5.00	101.95	
Sub: Providence	BZ/GD/RX/LC/EV/TM/CM	1.5	779	51	4.31	P	3.60	3.64	4.80	3.90		5.00	105.87	
Huval	BZ/GD/RX/LC/EV/TM/CM	75	2,211	28	4.66	>	4.280	4.260	4.91	4.15	*	5.000	113.408	110.14
Sub: CH Fenstermaker	BZ/GD/RX/LC/EV/TM/CM	2	979	23	4.66	P	3.50	3.54	4.84	4.28		5.00	108.67	
Sub: Bridge Diagnostics	BZ/GD/RX/LC/EV/TM/CM	4	348	6	4.66	P	3.60	3.72	4.13	3.92	*	5.00	104.68	
Sub: Civil Design	BZ/GD/RX/LC/EV/TM/CM	3	86	15	4.66	P	3.06	3.04	4.84	3.52	*	5.00	100.81	
Sub: APS Engineering	BZ/GD/RX/LC/EV/TM/CM	2	80	24	4.66	P	3.02	3.26	4.74	3.90	*	5.00	103.42	
Sub: Aillet Fenner Jolly	BZ/GD/RX/LC/EV/TM/CM	4	53	24	4.66	P	3.24	3.46	4.15	3.92	*	5.00	102.65	
Sub: Stafford Bandlow	BZ/GD/RX/LC/EV/TM/CM	7	0	15	4.66	P	3.38	3.46	1.00	3.92	*	5.00	90.45	
Sub: Poche Prouet	BZ/GD/RX/LC/EV/TM/CM	3	20	13	4.66	P	3.40	3.56	4.88	3.92	*	5.00	106.43	
Modjeski & Masters	BZ/GD/RX/LC/EV/TM/CM	82	11,968	39	4.43	>	4.38	4.42	4.06	4.11	*	5.00	110.01	108.53
Sub: Marrero, Couvillion &	BZ/GD/RX/LC/EV/TM/CM	5	69	14	4.43	P	3.32	3.42	4.72	2.40		5.00	95.22	
Sub: Arcadis	BZ/GD/RX/LC/EV/TM/CM	4	6,066	53	4.43	P	3.02	3.36	4.74	3.97	*	5.00	103.52	
Sub: Providence	BZ/GD/RX/LC/EV/TM/CM	2	779	51	4.43	P	3.60	3.64	4.80	3.90		5.00	106.23	
Sub: Fugro	BZ/GD/RX/LC/EV/TM/CM	2	239	52	4.43	P	3.14	2.92	4.72	3.90	*	5.00	101.69	
Sub: CH Fenstermaker	BZ/GD/RX/LC/EV/TM/CM	2	980	23	4.43	P	3.66	3.70	4.84	3.99	*	5.00	107.39	
Sub: Bridge Diagnostics	BZ/GD/RX/LC/EV/TM/CM	2	348	6	4.43	P	3.60	3.72	4.13	3.92	*	5.00	103.99	
Sub: KGC Environmental	BZ/GD/RX/LC/EV/TM/CM	1	0	8	4.43	P	3.46	3.46	4.28	3.92	*	5.00	103.12	

Firm Name	Work Type	%	Remaining (\$1000)	Firm Size**		Firm Exp.	Personnel Exp.	Location	Past Performance	Work Load***	Firm's Rating	Total Rating (if subs)		
(Weighting Factors)				3		3	4	4.00	6	5				
SDR	BZ/GD/RX/LC/EV/TM/CM	78	1,069	20	4.93	>	3.08	3.28	4.76	4.38		5.00	107.45	106.33
Sub: Burk Kleinpeter	BZ/GD/RX/LC/EV/TM/CM	4	449	67	4.93	P	3.30	3.22	4.08	3.19	*	5.00	98.03	
Sub: WSP USA	BZ/GD/RX/LC/EV/TM/CM	9.9	0	22	4.93	P	3.18	3.46	4.06	3.92	*	5.00	102.89	
Sub: SJB Group	BZ/GD/RX/LC/EV/TM/CM	1.8	1,279	31	4.93	P	3.44	3.62	4.73	4.42		5.00	110.05	
Sub: Chustz Surveying	BZ/GD/RX/LC/EV/TM/CM	0.2	17	56	4.93	P	3.28	3.44	5.00	3.99	*	5.00	107.32	
Sub: GSRC	BZ/GD/RX/LC/EV/TM/CM	2	140	14	4.93	P	3.18	3.22	4.73	4.00		5.00	105.12	
Sub: Marrero, Couvillion &	BZ/GD/RX/LC/EV/TM/CM	1.8	69	14	4.93	P	3.32	3.42	4.12	2.40		5.00	94.31	
Sub: APS Design & Testing	BZ/GD/RX/LC/EV/TM/CM	2	80	24	4.93	P	3.02	3.32	4.76	3.90	*	5.00	104.56	
Stantec	BZ/GD/RX/LC/EV/TM/CM	54	7,328	48	3.50	>	3.30	3.32	4.80	3.88	*	5.00	101.15	102.32
Sub: Hardesty & Hanover	BZ/GD/RX/LC/EV/TM/CM	30	108	10	4.75	>	3.40	3.74	4.13	4.00		5.00	104.92	
Sub: HDR	BZ/GD/RX/LC/EV/TM/CM	8.4	138	28	3.50	P	3.30	3.56	4.80	3.92	*	5.00	102.32	
Sub: Bridge Diagnostics	BZ/GD/RX/LC/EV/TM/CM	0.7	348	6	3.50	P	3.60	3.72	4.13	3.92	*	5.00	101.19	
Sub: KTA Tator	BZ/GD/RX/LC/EV/TM/CM	0.7	0	2	3.50	P	3.58	3.62	1.00	3.92	*	5.00	88.20	
Sub: APEX	BZ/GD/RX/LC/EV/TM/CM	0.2	38	2	3.50	P	3.42	3.46	4.91	3.20		5.00	98.42	
Sub: Holden Architects	BZ/GD/RX/LC/EV/TM/CM	0.2	0	4	3.50	P	3.14	3.28	4.80	3.92	*	5.00	100.71	
Sub: APS Design & Testing	BZ/GD/RX/LC/EV/TM/CM	2	80	24	3.50	P	3.02	3.32	4.74	3.90	*	5.00	100.17	
Sub: Chustz Surveying	BZ/GD/RX/LC/EV/TM/CM	1	17	37	3.50	P	3.28	3.44	5.00	3.99	*	5.00	103.04	
Sub: Rahman	BZ/GD/RX/LC/EV/TM/CM	3	947	7	3.50	P	3.44	3.50	4.17	4.32		5.00	102.39	
TRC	BZ/GD/RX/LC/EV/TM/CM	64	3,840	23	4.69	>	3.34	3.42	4.74	3.75	*	5.00	104.21	101.85
Sub: Arcadis	BZ/GD/RX/LC/EV/TM/CM	4	6,066	55	4.69	P	3.12	3.44	4.74	4.12		5.00	105.86	
Sub: Forte & Tablada	BZ/GD/RX/LC/EV/TM/CM	8.9	1,099	33	4.69	P	3.00	3.34	4.74	4.30		5.00	106.22	
Sub: GeoEngineers	BZ/GD/RX/LC/EV/TM/CM	2	430	38	4.69	P	3.66	3.70	4.71	3.90		5.00	107.08	
Sub: Bridge Diagnostics	BZ/GD/RX/LC/EV/TM/CM	4	348	6	4.69	P	3.60	3.72	4.13	3.92	*	5.00	104.77	
Sub: Lowe Engineers	BZ/GD/RX/LC/EV/TM/CM	0.1	0	10	4.69	P	3.14	3.28	1.00	3.99	*	5.00	89.56	
Sub: Parsons Transportation	BZ/GD/RX/LC/EV/TM/CM	16	0	9	4.23	>	3.02	3.32	1.00	3.92	*	5.00	87.54	
Sub: KGC Environmental	BZ/GD/RX/LC/EV/TM/CM	1	0	8	4.69	P	3.46	3.46	4.28	3.92	*	5.00	103.91	

> indicates the firm is too large. < indicates the firm is too small. P indicates the sub was assigned the same compatibility as the prime.

* indicates the average past performance was assigned for at least one Work Category.

P indicates the sub was assigned the same Firm Size score as the prime.

**All firms received a minimum of 3.0 in this rating because the project is rated Complex.

*** All firms received a 5.0 in this category.

Note: The scores which are shown to two decimal places in this table have not been rounded. The numbers are shown to two decimal places for convenience so the table can be printed on 8 1/2" x 11" paper. The actual values may vary by as much as +/- 0.005.